

Berg & RF Connectors Cross Reference

Connector to Connector Cross Reference



The information found in this guide was compiled using specifications that were current at the time of compilation. Please note that manufacturer's specifications are subject to change without notice. We therefore suggest that after using this guide to make your initial connector selections, you should obtain the latest product specifications from this cable manufacturer and RF Industries.

RF Connectors, Division of RF Industries, 7610 Miramar Road, San Diego, CA 92126-4202
For product information call (800) 233-1728 or (858) 549-6340, Fax: (858) 549-6345
E-mail: rfi@rfindustries.com Web: www.rfindustries.com www.rfcoaxconnectors.com





CROSS REFERENCE BERG TO RF CONNECTORS

Berg P/N	RFI P/N	Description	Notes		
24A100-1	RFT-1225	TNC FEM TO FEM BARREL ADAPTER, N,G,T	N8		
24A101-1	RFT-1224	TNC MALE TO TNC MALE BARREL ADAPTER., N,S,T	N8		
24AR100-1	RFT-1227	TNC FEM TO TNC MALE R/A ADAPTER, N,G,T	N8		
24AS104-1	RFT-1226	TNC FEM TO TNC FEM DBL BLKD, N,G,T	N8		
24AT100-1	RFT-1228	TNC, T ADAPTER 1 MALE-2 FEM, N,G,T	N8		
24AT102-1	RFT-1229	TNC, T ADAPTER, 3 FEM, N,G,T	N8		
24J106-1	RFT-1216-1	TNC, FEM CRIMP, RG-58/U, CBL GRP C, N,G,D	N4	N8	N66
24J106-3	RFT-1216-C1	TNC, FEM CRIMP, RG-142/U CBL GRP C1, N,G,D	N4	N8	N66
24J107-1	RFT-1216-1	TNC, FEM CRIMP, RG-58/U, CBL GRP C, N,G,D	N5	N8	
24J107-3	RFT-1216-C1	TNC, FEM CRIMP, RG-142/U CBL GRP C1, N,G,D	N6	N8	
24J118-2	RFT-1216-1	TNC, FEM CRIMP, RG-58/U, CBL GRP C, N,G,D	N7	N8	
24J118-3	RFT-1216-C1	TNC, FEM CRIMP, RG-142/U CBL GRP C1, N,G,D	N8	N8	
24JR113-1	RFT-1211-1	TNC, FEM FRONT MNT BLKHD, D-FLAT, N,G,T	N8		
24JR118-1	RFT-1211-1	TNC, FEM FRONT MNT BLKHD, D-FLAT, N,G,T	N8		
24JR122-1	RFT-1210	TNC, FEM 4-HOLE PANEL MNT, N,G,T	N8		
24JS110-1	RFT-1212	TNC, FEM CRIMP BLKHD, N,G,D, RG-58/U, CBL GRP C	N4	N8	N66
24JS110-2	RFT-1813	TNC, 75 OHM FEM CRIMP BLKHD, RG-59/U, CBL GRP D, N,G,D	N4	N8	N66
24JS111-1	RFT-1212	TNC, FEM CRIMP BLKHD, N,G,D, RG-58/U, CBL GRP C	N4	N8	
24JS111-2	RFT-1813	TNC, 75 OHM FEM CRIMP BLKHD, RG-59/U, CBL GRP D, N,G,D	N4	N8	
24JS142-1	RFT-1212	TNC, FEM CRIMP BLKHD, N,G,D, RG-58/U, CBL GRP C	N4		
24JS142-21	RFT-1813	TNC, 75 OHM FEM CRIMP BLKHD, RG-59/U, CBL GRP D, N,G,D	N4	N8	
24P100-1	RFT-1200	TNC, MALE SOLDER CLAMP, N,S,T RG58/U, CBL GRP C	N8		
24P100-2	RFT-1801	TNC, MALE CLAMP FOR RG-59/U, N,S,T	N8		
24P100-3	RFT-1201-1B	TNC, MALE SOLDER CLAMP, FOR RG-174/U, CBL GRP B, N,G,T	N8		
24P100-4	RFT-1200	TNC, MALE SOLDER CLAMP, N,S,T RG58/U, CBL GRP C	N8		
24P102-1	RFT-1202-2	TNC, MALE CRIMP, RG-58/U, CBL GRP C, N,G,D	N4	N8	N66
24P102-1	RFT-1202-2T	TNC, MALE CRIMP, RG-58/U, CBL GRP C, N,G,T	N8	N66	
24P102-2	RFT-1803-1	TNC, 75 OHM MALE CRIMP, RG59/U, CBL GRP D, N,G,D	N4	N8	N66
24P102-3	RFT-1202-2TC1	TNC, MALE CRIMP, RG-142/U, CBL GRP C1, N,G,T	N8	N66	
24P102-3	RFT-1202-C1	TNC, MALE CRIMP, RG-142/U, CBL GRP C1, N,G,D	N4	N8	N66
24P102-5	RFT-1202-7	TNC, MALE CRIMP, MOT WHITE TEF CABLE, CBL GRP M, N,G,D	N4	N8	N66
24P102-5	RFT-1202-7T	TNC, MALE CRIMP, MOT WHITE TEF CABLE, CBL GRP M, N,G,T	N8	N66	
24P103-1	RFT-1202-2	TNC, MALE CRIMP, RG-58/U, CBL GRP C, N,G,D	N4	N8	
24P103-1	RFT-1202-2T	TNC, MALE CRIMP, RG-58/U, CBL GRP C, N,G,T	N8		
24P103-2	RFT-1803-1	TNC, 75 OHM MALE CRIMP, RG59/U, CBL GRP D, N,G,D	N4	N8	
24P103-3	RFT-1202-2TC1	TNC, MALE CRIMP, RG-142/U, CBL GRP C1, N,G,T	N8		
24P103-3	RFT-1202-C1	TNC, MALE CRIMP, RG-142/U, CBL GRP C1, N,G,D	N4	N8	
24P105-1	RFT-1200	TNC, MALE SOLDER CLAMP, N,S,T RG58/U, CBL GRP C	N8		
24P107-1	RFT-1801	TNC, MALE CLAMP FOR RG-59/U, N,S,T	N8		
24P116-1	RFT-1201-I	TNC, MALE SOLDER CLAMP, LMR-400, CBL GRP I, N,G,T	N8	N11	N28
24P116-1	RFT-1201-SI	TNC, MALE SOLDER CLAMP, BELDEN 9913, CBL GRP I, S,G,T	N11	N28	
24P120-1	RFT-1218	TNC, MALE R/A CRIMP, RG-58/U, CBL GRP C, N,G,T	N8		
24P120-3	RFT-1218-C1	TNC, MALE R/A CRIMP, RG-142/U, CBL GRP C1, N,G,T	N8		
24P140-1	RFT-1201-I	TNC, MALE SOLDER CLAMP, LMR-400, CBL GRP I, N,G,T	N8	N28	
24P140-1	RFT-1201-SI	TNC, MALE SOLDER CLAMP, BELDEN 9913, CBL GRP I, S,G,T	N28		
24P142-1	RFT-1202-3	TNC, MALE CRIMP, RG-316/U, CBL GRP B, N,G,D	N4	N8	
24P153-1	RFT-1201-I	TNC, MALE SOLDER CLAMP, LMR-400, CBL GRP I, N,G,T	N8	N11	N28
24P153-1	RFT-1201-SI	TNC, MALE SOLDER CLAMP, BELDEN 9913, CBL GRP I, S,G,T	N11	N28	
24P155-2	RFT-1219-E	TNC MALE R/A CLAMP PLUG, RG-213/U, CBL GRP E, N,G,T	N8		
24P158-1	RFT-1201-1B	TNC, MALE SOLDER CLAMP, FOR RG-174/U, CBL GRP B, N,G,T	N8		
24P158-1	RFT-1201-1B	TNC, MALE SOLDER CLAMP, FOR RG-174/U, CBL GRP B, N,G,T	N8		
24P159-1	RFT-1219-E	TNC MALE R/A CLAMP PLUG, RG-213/U, CBL GRP E, N,G,T	N8	N11	
24P167-1	RFT-1202-2	TNC, MALE CRIMP, RG-58/U, CBL GRP C, N,G,D	N4		

24P167-1	RFT-1202-2T	TNC, MALE CRIMP, RG-58/U, CBL GRP C, N,G,T			
24P167-2	RFT-1803-1	TNC, 75 OHM MALE CRIMP, RG59/U, CBL GRP D, N,G,D	N4		
24P171-2	RFT-1218	TNC, MALE R/A CRIMP, RG-58/U, CBL GRP C, N,G,T	N8		
24P171-3	RFT-1218-C1	TNC, MALE R/A CRIMP, RG-142/U, CBL GRP C1, N,G,T	N8		
24R170-2	RFT-1211-1	TNC, FEM FRONT MNT BLKHD, D-FLAT, N,G,T	N8		
25A100-1	RFN-1014-1	N MALE TO N MALE ADAPTER, S,G,T			
25A101-1	RFN-1013-1	N FEM TO N FEM BARREL ADAPTER, S,G,T			
25A107-2	RFN-1014-1	N MALE TO N MALE ADAPTER, S,G,T	N8		
25A108-2	RFN-1013-1	N FEM TO N FEM BARREL ADAPTER, S,G,T	N67		
25AR101-1	RFN-1012-1	N FEM TO N MALE R/A ADAPTER, S,G,T			
25AR102-1	RFN-1012-1	N FEM TO N MALE R/A ADAPTER, S,G,T			
25AR102-2	RFN-1012-1	N FEM TO N MALE R/A ADAPTER, S,G,T			
25AT100-1	RFN-1011-1	N T ADAPTER-3 FEM, S,G,T			
25AT101-1	RFN-1010-1	N T ADAPTER-2 FEM, 1 MALE, S,G,T			
25J106-1	RFN-1025-1	N, FEM SOLDER CLAMP, RG58/U, CBL GRP C, S,G,T			
25J111-1	RFN-1024-1	N, FEM SOLDER CLAMP, RG8/U, CBL GRP E, S,G,T			
25J112-1	RFN-1025-1	N, FEM SOLDER CLAMP, RG58/U, CBL GRP C, S,G,T			
25J112-2	RFN-1025-1	N, FEM SOLDER CLAMP, RG58/U, CBL GRP C, S,G,T			
25J122-1	RFN-1025-1	N, FEM SOLDER CLAMP, RG58/U, CBL GRP C, S,G,T			
25J123-1	RFN-1028	N, FEM CRIMP, RG8/U, CBL GRP E, S,G,T	N1		
25JF105-1	RFN-1021-6	N, FEM, SOLDER CLAMP 4-HOLE PANEL MNT, CBL GRP C, S,G,T	N1		
25JF108-1	RFN-1021-6	N, FEM, SOLDER CLAMP 4-HOLE PANEL MNT, CBL GRP C, S,G,T			
25JF108-2	RFN-1021-6	N, FEM, SOLDER CLAMP 4-HOLE PANEL MNT, CBL GRP C, S,G,T			
25JF111-1	RFN-1021-7	N, FEM CLAMP 4-HOLE FLANGE PANEL MOUNT FOR RG-8/U; S,G,T			
25JF113-2	RFN-1021-7	N, FEM CLAMP 4-HOLE FLANGE PANEL MOUNT FOR RG-8/U; S,G,T			
25JR109-1	RFN-1021	N, FEM, 4-HOLE PANEL MNT, S,G,T			
25JR109-1	RFN-1021-2	N, FEM 4-HOLE PANEL MNT. UG-58A/U, N,G,T	N8		
25JR161-1	RFN-1022-5	N, FEM BLKHD, FRONT MNT, BNC THREADS, DBL D-FLAT, N,G,T			
25P106-1	RFN-1002-1N	N, MALE SOLDER CLAMP, N,G,T, RG8/U, CBL GRP E	N8		
25P106-1	RFN-1002-1S	N, MALE SOLDER CLAMP, S,G,T, RG8/U, CBL GRP E			
25P107-1	RFN-1000-1S	N, MALE SOLDER CLAMP, S,G,T, RG-58/U, CBL GRP C			
25P107-1	RFN-1000-N	N, MALE SOLDER CLAMP, N,G,T, RG-58/U, CBL GRP C	N8		
25P107-2	RFN-1000-1S	N, MALE SOLDER CLAMP, S,G,T, RG-58/U, CBL GRP C			
25P107-2	RFN-1000-N	N, MALE SOLDER CLAMP, N,G,T, RG-58/U, CBL GRP C	N8		
25P107-7	RFN-1904-1N	N, 75 OHM MALE SOLDER CLAMP, RG-59/U, CBL GRP D, N,G,T	N8		
25P107-7	RFN-1904-1S	N, 75 OHM MALE SOLDER CLAMP, RG-59/U, CBL GRP D, S,G,T			
25P124-1	RFN-1005-1SR2	N, MALE CRIMP, .141 SEMI-RIGID CABLE, N,G,T	N8		
25P148-1	RFN-1000-1S	N, MALE SOLDER CLAMP, S,G,T, RG-58/U, CBL GRP C			
25P148-1	RFN-1000-N	N, MALE SOLDER CLAMP, N,G,T, RG-58/U, CBL GRP C	N8		
25P157-1	RFN-1002-1SI	N, MALE SOLDER CLAMP, BELDEN 9913, CBL GRP I, S,G,T			
25P158-1	RFN-1006-3E	N, MALE CRIMP, RG8/U, CBL GRP E, S,G,T	N1		
25P158-2	RFN-1006-3F	N, MALE CRIMP, RG-214/U, CBL GRP F, S,G,T	N1		
25P158-4	RFN-1005-2N	N, MALE CRIMP, RG-58/U, CBL GRP C, N,G,T			
25P158-4	RFN-1005-3C	N, MALE CRIMP, RG-58/U, CBL GRP C, S,G,T	N1		
25P168-1	RFN-1009-3E	N, MALE R/A CRIMP, RG8/U, CBL GRP E, S,G,T	N1		
25P168-3	RFN-1009-C	N, MALE R/A CRIMP, RG-58/U, CBL GRP C, S,G,T	N1		
25P168-3	RFN-1009-C-03	N, MALE R/A CRIMP, SQUARE BODY, RG-58/U, N,G,T			
25PR102-2	RFN-1041-1	N, MALE 4-HOLE PANEL MNT, SOLDER CUP, S,G,T			
28A100-1	RFB-1134	BNC FEM TO BNC FEM BARREL ADAPTER, N,S,D	N4	N8	
28A101-1	RFB-1133	BNC MALE TO BNC MALE ADAPTER, N,S,T	N8		
28A110-2	RFB-1734	BNC 75 OHM FEM TO BNC FEM ADAPTER, N-G-T			
28A111-2	RFB-1733	BNC 75 OHM MALE TO BNC MALE ADAPTER, N-G-T			
28AR100-1	RFB-1132	BNC MALE TO BNC FEM R/A ADAPTER, N,S,T	N8		
28AR102-2	RFB-1732	BNC 75 OHM MALE TO BNC FEM R/A ADAPTER, N-G-T			
28AS100-1	RFB-1135-I	BNC FEM TO BNC FEM INSUL BULKHD ADAPTER, S,G,D	N4		
28AS103-1	RFB-1135	BNC FEM TO BNC FEM BLKHD ADAPTER, N,G,D	N4	N8	
28AS103-1	RFB-1135-T	BNC FEM TO BNC FEM BLKHD ADAPTER, O-RING, N,S,T	N8		
28AS112-1	RFB-1735	BNC 75 OHM FEM TO BNC FEM BLKHD ADAPTER, N-G-D	N4		

28AT100-1	RFB-1131	BNC T ADAPTER, TRIPLE BNC FEM, N,S,T	N8		
28AT106-1	RFB-1130	BNC T ADAPTER 2 FEM-1 MALE, N,G,T	N8		
28AT106-1	RFB-1130-1	BNC T ADAPTER, 2 FEMLE 1 MALE, N,G,D	N4	N8	
28AT109-1	RFB-1730	BNC 75 OHM MALE TO DOUBLE FEM "T" ADAPTER, N-G-D	N4		
28J106-1	RFB-1123-1	BNC FEM CRIMP SOCKET, RG58/U, CBL GRP C, N,G,T	N8	N66	
28J106-3	RFB-1123-C1	BNC FEMALE CRIMP, CBL GRP C1, N-G-T	N8	N66	
28J107-1	RFB-1123-1	BNC FEM CRIMP SOCKET, RG58/U, CBL GRP C, N,G,T	N8		
28J107-2	RFB-1724-D	BNC 75 OHM FEM CRIMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28J107-3	RFB-1123-C1	BNC FEMALE CRIMP, CBL GRP C1, N-G-T	N8		
28J112-2	RFB-1720	BNC 75 OHM FEM SOLDER CLAMP, RG-59/U, CBL GRP D, N-S-T	N4	N8	N47
28J112-2	RFB-1720-D	BNC 75 OHM FEM SOLDER CLAMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28J129-1	RFB-1123-B	BNC FEM CRIMP SOCKET, RG174/U, CBL GRP B, N,G,T			
28J138-1	RFB-1720-D	BNC 75 OHM FEM SOLDER CLAMP, RG-59/U, CBL GRP D, N-G-T			
28J163-2	RFB-1123-C1	BNC FEMALE CRIMP, CBL GRP C1, N-G-T	N8		
28J163-5	RFB-1724-D	BNC 75 OHM FEM CRIMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28J163-6	RFB-1123-1	BNC FEM CRIMP SOCKET, RG58/U, CBL GRP C, N,G,T	N8		
28J168-1	RFB-1724-G	BNC 75 OHM FEM CRIMP JACK, BELDEN 8281, CBL GRP G, N-G-T	N66		
28J169-1	RFB-1724-D	BNC 75 OHM FEM CRIMP, RG-59/U, CBL GRP D, N-G-T			
28JF114-1	RFB-1720	BNC 75 OHM FEM SOLDER CLAMP, RG-59/U, CBL GRP D, N-S-T	N4	N8	N47
28JF114-1	RFB-1720-D	BNC 75 OHM FEM SOLDER CLAMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28JR101-1	RFB-1154	BNC FEM R/A BLKHD W/SOLDER POT, N-G-T	N8		
28JR106-1	RFB-1116-I	BNC FEM,INSULATED,BLKHD MNT, SOLDER CUP, N-G-A	N8		
28JR126-1	RFB-1116-NG	BNC FEM 1- HOLE BLKHD, SOLDER CUP, N,G,T	N8		
28JR126-1	RFB-1116-SG	BNC FEM 1- HOLE BLKHD, SOLDER CUP, S,G,T			
28JR198-2	RFB-1115-11	BNC FEM VERT PCB MNT, 4 LEGS @ .40" ON CENTER, N-G-T	N8		
28JR255-1	RFB-1115-S	BNC FEM, 4 HOLE PANEL MNT, SOLDER CUP, S,G,T			
28JR258-1	RFB-1715	BNC 75 OHM FEM 4 HOLE FLANGE PANEL MOUNT, N-G-T			
28JR261-1	RFB-1716	BNC 75 OHM FEM BLKHD, FRNT MNT, DIECAST ZINC, N,G,D	N4	N8	
28JR261-1	RFB-1716-SG	BNC 75 OHM FEM BULKHEAD, FRONT MNT W/D-FLAT, S,G,T			
28JR268-1	RFB-1716	BNC 75 OHM FEM BLKHD, FRNT MNT, DIECAST ZINC, N,G,D	N4		
28JR268-1	RFB-1716-SG	BNC 75 OHM FEM BULKHEAD, FRONT MNT W/D-FLAT, S,G,T	N1		
28JR272-1	RFB-1715-11	BNC 75 OHM FEM VERT PCB MOUNT, 4 LEGS, .400 CENTERS, N-G-T			
28JR281-1	RFB-1116-NG	BNC FEM 1- HOLE BLKHD, SOLDER CUP, N,G,T	N8		
28JR281-1	RFB-1116-SG	BNC FEM 1- HOLE BLKHD, SOLDER CUP, S,G,T			
28JR299-3	RFB-1115-4	BNC FEM VERT PCB MNT, 4 LEGS , S,G,T	N1		
28JR312-2	RFB-1115	BNC FEM CHASSIS 4-HOLE MNT, N-G-T			
28JR342-1	RFB-1115-6	BNC FEM R/A PCB MNT.(LONG), DIECAST ZINC, N,G,T	N15		
28JR343-1	RFB-1716	BNC 75 OHM FEM BLKHD, FRNT MNT, DIECAST ZINC, N,G,D	N4		
28JR343-1	RFB-1716-SG	BNC 75 OHM FEM BULKHEAD, FRONT MNT W/D-FLAT, S,G,T	N1		
28JR396-1	RFB-1115-6	BNC FEM R/A PCB MNT.(LONG), DIECAST ZINC, N,G,T			
28JR401-1	RFB-1715-06	BNC 75 OHM FEM R/A PCB MOUNT, HF, MACHINED, (LONG), N-G-T			
28JR401-2	RFB-1715-06	BNC 75 OHM FEM R/A PCB MOUNT, HF, MACHINED, (LONG), N-G-T			
28JR404-1	RFB-1715-06	BNC 75 OHM FEM R/A PCB MOUNT, HF, MACHINED, (LONG), N-G-T			
28JS122-1	RFB-1123-1	BNC FEM CRIMP SOCKET, RG58/U, CBL GRP C, N,G,T	N8	N66	
28JS122-2	RFB-1724-D	BNC 75 OHM FEM CRIMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	N66
28JS122-3	RFB-1123-B	BNC FEM CRIMP SOCKET, RG174/U, CBL GRP B, N,G,T	N66		
28JS126-1	RFB-1117	BNC FEM CRIMP BLKHD, RG58U, CBL GRP C, N,G,D	N4	N8	
28JS126-2	RFB-1717-D	BNC 75 OHM FEM BULKHEAD CRIMP, REAR MOUNT, D-FLAT, O-RING, CBL GRP D, N-G-T	N8	N47	
28JS126-3	RFB-1117-C1	BNC, FEM CRIMP BULKHD, RG-142/U, CBL GRP C1, REAR MOUNT, D-FLAT, N,G,D	N4	N8	
28JS152-1	RFB-1123-B	BNC FEM CRIMP SOCKET, RG174/U, CBL GRP B, N,G,T	N66		
28JS161-3	RFB-1724-S	BNC 75 OHM FEM CRIMP, RG-179/U, CBL GRP S, N-G-T			
28JS171-1	RFB-1717-S	BNC 75 OHM FEM BLKHD CRIMP, REAR MOUNT, D-FLAT, O-RING, SOLDER ONLY PIN, RG-179/U, CBL GRP S, N-G-T			
28JS171-2	RFB-1717-D	BNC 75 OHM FEM BULKHEAD CRIMP, REAR MOUNT, D-FLAT, O-RING, CBL GRP D, N-G-T			
28JS198-1	RFB-1117	BNC FEM CRIMP BLKHD, RG58U, CBL GRP C, N,G,D	N4	N8	
28JS198-2	RFB-1717	BNC 75 OHM FEM CRIMP BULKHEAD, REAR MNT,CBL GRP D, N-G-D	N4	N8	N47
28JS198-2	RFB-1717-D	BNC 75 OHM FEM BULKHEAD CRIMP, REAR MOUNT, D-FLAT, O-RING, CBL GRP D, N-G-T	N47		

28JS204-1	RFB-1117-BT	BNC FEM CRIMP BKLHD, RG-174, CBL GRP B, N,G,T; MAX. PANEL THICKNESS .20"	N8		
28JS209-1	RFB-1717-D	BNC 75 OHM FEM BULKHEAD CRIMP, REAR MOUNT, D-FLAT, O-RING, CBL GRP D, N-G-T			
28JS209-2	RFB-1717-S	BNC 75 OHM FEM BLKHD CRIMP, REAR MOUNT, D-FLAT, O-RING, SOLDER ONLY PIN, RG-179/U, CBL GRP S, N-G-T			
28P100-3	RFB-1709-D	BNC 75 OHM MALE R/A CLAMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28P102-1	RFB-1100-2	BNC MALE SOLDER CLAMP, RG58/U, CBL GRP C, N-G-D	N4	N8	
28P102-1	RFB-1100-2ST	BNC MALE SOLDER CLAMP, RG-58/U, CBL GRP C, S-G-T	N66		
28P102-2	RFB-1701-D	BNC MALE CLAMP 75 OHM, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28P102-3	RFB-1100-B	BNC MALE SOLDER CLAMP, CBL GRP B, N-G-T	N8		
28P102-4	RFB-1100-2ST	BNC MALE SOLDER CLAMP, RG-58/U, CBL GRP C, S-G-T			
28P106-1	RFB-1100-2	BNC MALE SOLDER CLAMP, RG58/U, CBL GRP C, N-G-D	N4	N8	N66
28P106-1	RFB-1100-2ST	BNC MALE SOLDER CLAMP, RG-58/U, CBL GRP C, S-G-T	N66		
28P106-1	RFB-1106-2ST	BNC MALE CRIMP PLUG, RG58/U, CBL GRP C, S-G-T	N66		
28P106-11	RFB-1100-B	BNC MALE SOLDER CLAMP, CBL GRP B, N-G-T	N8	N66	
28P106-11	RFB-1106-5	BNC MALE CRIMP PLUG, RG-174, (LG. FERR), CBL GRP B, N-G-T	N8	N66	
28P106-2	RFB-1701-D	BNC MALE CLAMP 75 OHM, RG-59/U, CBL GRP D, N-G-T	N8	N47	N66
28P106-2	RFB-1707-D	BNC 75 OHM MALE CRIMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	N66
28P106-3	RFB-1100-2	BNC MALE SOLDER CLAMP, RG58/U, CBL GRP C, N-G-D	N4	N8	N66
28P106-3	RFB-1100-2ST	BNC MALE SOLDER CLAMP, RG-58/U, CBL GRP C, S-G-T	N66		
28P106-3	RFB-1106-2TC1	BNC MALE CRIMP PLUG, RG55/U, CBL GRP C1, N-G-T	N8	N66	
28P106-5	RFB-1107-7	BNC MALE CRIMP PLUG, CBL GRP M, S-G-T	N66		
28P107-1	RFB-1106-2ST	BNC MALE CRIMP PLUG, RG58/U, CBL GRP C, S-G-T			
28P107-3	RFB-1106-2TC1	BNC MALE CRIMP PLUG, RG55/U, CBL GRP C1, N-G-T	N8		
28P107-5	RFB-1107-7	BNC MALE CRIMP PLUG, CBL GRP M, S-G-T			
28P109-1	RFB-1100-2ST	BNC MALE SOLDER CLAMP, RG-58/U, CBL GRP C, S-G-T			
28P109-2	RFB-1701-D	BNC MALE CLAMP 75 OHM, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28P113-1	RFB-1100-B	BNC MALE SOLDER CLAMP, CBL GRP B, N-G-T	N8		
28P113-3	RFB-1100-B	BNC MALE SOLDER CLAMP, CBL GRP B, N-G-T	N8		
28P132-2	RFB-1709-D	BNC 75 OHM MALE R/A CLAMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28P143-1	RFB-1110-C-04	BNC MALE R/A CLAMP PLUG, RG-58/U, S-G-T			
28P143-1	RFB-1110-S	BNC MALE R/A CLAMP PLUG, CBL GRP C, S-S-T			
28P143-2	RFB-1709-D	BNC 75 OHM MALE R/A CLAMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28P149-1	RFB-1110-1	BNC MALE R/A CRIMP PLUG, RG-58/U, N-G-T	N8	N66	
28P149-1	RFB-1110-C-04	BNC MALE R/A CLAMP PLUG, RG-58/U, S-G-T	N66		
28P149-10	RFB-1110-B	BNC MALE R/A CRIMP PLUG, CBL GRP B, N-G-T	N8	N66	
28P149-2	RFB-1709-D	BNC 75 OHM MALE R/A CLAMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28P149-2	RFB-1710-D	BNC 75 OHM MALE R/A CRIMP, RG-59/U, CBL GRP D, N-G-T	N8	N66	
28P149-3	RFB-1110-C1	BNC MALE R/A CRIMP PLUG, RG-55, CBL GRP C1, N-G-T	N8	N66	
28P149-7	RFB-1110-1A	BNC MALE R/A CRIMP PLUG, RG-178/U, N,G,T	N8	N66	
28P150-1	RFB-1110-1	BNC MALE R/A CRIMP PLUG, RG-58/U, N-G-T	N8		
28P150-2	RFB-1710-D	BNC 75 OHM MALE R/A CRIMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28P150-3	RFB-1110-C1	BNC MALE R/A CRIMP PLUG, RG-55, CBL GRP C1, N-G-T	N8		
28P154-1	RFB-1100-2ST	BNC MALE SOLDER CLAMP, RG-58/U, CBL GRP C, S-G-T			
28P184-1	RFB-1106-5	BNC MALE CRIMP PLUG, RG-174, (LG. FERR), CBL GRP B, N-G-T	N8		
28P189-2	RFB-1701-D	BNC MALE CLAMP 75 OHM, RG-59/U, CBL GRP D, N-G-T			
28P189-2	RFB-1701-D	BNC MALE CLAMP 75 OHM, RG-59/U, CBL GRP D, N-G-T			
28P265-1	RFB-1100-2ST	BNC MALE SOLDER CLAMP, RG-58/U, CBL GRP C, S-G-T			
28P265-2	RFB-1701-D	BNC MALE CLAMP 75 OHM, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28P268-1	RFB-1710-D	BNC 75 OHM MALE R/A CRIMP, RG-59/U, CBL GRP D, N-G-T			
28P268-3	RFB-1710-S	BNC 75 OHM MALE R/A CRIMP PLUG, RG-179/U, CBL GRP S, N-G-D	N4		
28P270-10	RFB-1106-2TC1	BNC MALE CRIMP PLUG, RG55/U, CBL GRP C1, N-G-T	N8		
28P270-6	RFB-1106-2T	BNC MALE CRIMP PLUG, RG58/U, CBL GRP C, N-G-T	N8		
28P270-8	RFB-1707-2	BNC 75 OHM MALE CRIMP, RG-59/U, CBL GRP D, N-G-D	N8		
28P271-5	RFB-1710-D	BNC 75 OHM MALE R/A CRIMP, RG-59/U, CBL GRP D, N-G-T	N8	N47	
28P271-6	RFB-1110-1	BNC MALE R/A CRIMP PLUG, RG-58/U, N-G-T	N8		
28P290-1	RFB-1707-S	BNC 75 OHM MALE CRIMP, RG-179/U, CBL GRP S, N-G-T	N66		
28P293-1	RFB-1707-2	BNC 75 OHM MALE CRIMP, RG-59/U, CBL GRP D, N-G-D	N4		
28P293-1	RFB-1707-D	BNC 75 OHM MALE CRIMP, RG-59/U, CBL GRP D, N-G-T			

28P293-2	RFB-1707-S	BNC 75 OHM MALE CRIMP, RG-179/U, CBL GRP S, N-G-T			
28P294-1	RFB-1707-G	BNC 75 OHM MALE CRIMP PLUG, BELDEN 8281, CBL GRP G, N-G-T	N66		
28PO100-2	RFB-1150-1	BNC MALE TERMINATION WITH CHAIN, 50 Ohm, 1/2 WATT, 1.5 Ghz., N,G,D	N8		
28PO102-1	RFB-1150	BNC MALE TERMINATION 50 Ohm, 1/2 WATT, 1.5 Ghz., N,G,D			
28PO104-2	RFB-1750	BNC 75 OHM MALE TERMINATION, 75 OHM 1/2 WATT N-G-T			
28PR107-1	RFB-1143	BNC MALE BLKHD PLUG, FRONT MNT, D-FLAT, N,G,T	N8		
32J101-2	RSB-4253-1B	SMB CLAMP JACK FOR RG-174/U, CBL GRP B, G,G,T			
32J102-1	RSB-4050-B	SMB FEMALE CRIMP FOR RG-174/U, CBL GRP B, N, G, T	N12	N66	
32J104-1	RSB-4055-1B	SMB JACK, R/A CRIMP FOR RG-174/U, CBL GRP B, G,G,T			
32JR109-1	RSB-4251	SMB JACK, BLKHD, REAR MNT, N,G,T	N12		
32JR109-1	RSB-4251-1	SMB JACK, BLKHD, REAR MNT, G,G,T			
32JR115-2	RSB-4300	SMB JACK, R/A PCB MNT, N,G,T	N12		
32JR115-2	RSB-4300-1	SMB JACK, R/A PCB MNT, G,G,T			
32JR116-3	RSB-355-1	SMB R/A JACK PCB MNT, G,G,T			
32JR116-3	RSB-4300-1-75	SMB 75 OHM JACK, R/A PCB MNT, G,G,T			
32JR119-1	RSB-4350	SMB JACK, VERT PCB MNT, N,G,T	N12		
32JR119-1	RSB-4350-1	SMB JACK, VERT PCB MNT, G,G,T			
32JR122-1	RSB-4301-1	SMB JACK, R/A BLKHD PCB MNT, G,G,T			
32JR127-2	RSB-350-1	SMB VERTICAL JACK PCB MNT, G,G,T			
32JR127-2	RSB-4350-1-75	SMB JACK, VERT PCB MNT, 75 OHM, G,G,T			
32JR127-2	RSB-4350-1-75	SMB JACK, VERT PCB MNT, 75 OHM, G,G,T			
32JS102-1	RSB-4252-B	SMB JACK, CRIMP BLKHD, REAR MNT, W/ D-FLAT, CBL GRP B, N,G,T	N12	N66	
32P100-1	RSB-4000-1B	SMB CRIMP PLUG, CBL GRP B, G,G,T	N66		
32P100-1	RSB-4000-B	SMB CRIMP PLUG, CABLE GROUP B, N,G,T,	N12	N66	
32P100-6	RSB-4000-A	SMB CRIMP PLUG, CBL GRP A, G,G,T	N12	N66	
32P103-2	RSB-4100-B	SMB CLAMP PLUG FOR RG-174/U, CBL GRP B, N,G,T	N12		
32P108-2	RSB-310-1-179	SMB R/A CRIMP PLUG FOR RG-179/U ONLY, G,G,T			
32P109-5	RSB-300-1-179	SMB CRIMP PLUG FOR RG-179/U ONLY, G,G,T	N66		
32P111-1	RSB-4010-B	SMB PLUG, R/A CRIMP FOR RG-174, CBL GRP B, N,G,T	N12		
32PR103-1	RSB-4450-1	SMB PLUG, VERTICAL PCB MNT, G,G,T			
32PR104-1	RSB-4400-1	SMB PLUG, R/A PCB MNT, G,G,T			
39109-1	RSA-3050-B	SMA, FEM STRAIGHT CRIMP, N,G,T, CBL GRP B	N12	N66	
39A105-3	RSA-3405	SMA MALE TO SMA FEM ADAPTER, N,G,T	N10		
39A105-3	RSA-3405-1	SMA MALE TO SMA FEM ADAPTER, G,G,T	N35		
39A106-5	RSA-3403	SMA MALE TO SMA MALE ADAPTER, N,G,T	N10		
39A106-5	RSA-3403-1	SMA MALE TO SMA MALE ADAPTER, G,G,T	N35		
39A107-1	RSA-3404	SMA FEM TO SMA FEM BARREL ADAPTER, N,G,T	N60		
39AR100-1	RSA-3402	SMA MALE TO SMA FEM R/A ADAPTER, N,G,T	N12		
39AR100-1	RSA-3402-1	SMA MALE TO SMA FEM R/A ADAPTER, G,G,T			
39AS102-2	RSA-3410	SMA FEM TO SMA FEM THRU-PANEL BLKHD, N,G,T	N10		
39AS102-2	RSA-3410-1	SMA FEM TO SMA FEM THRU-PANEL BLKHD, G,G,T	N35		
39AT102-2	RSA-3400	SMA T ADAPTER, MALE TO DOUBLE SMA FEM, N,G,T	N12		
39AT103-1	RSA-3401	SMA T ADAPTER, TRIPLE FEM, N,G,T	N12		
39J102-1	RSA-3555-1SR2	SMA, FEM FOR .141 SEMI-RIGID, CBL GRP SR2, G,G,T			
39J102-1	RSA-3555-SR2	SMA, FEM FOR .141 SEMI-RIGID, CBL GRP SR2, N,G,T	N12		
39J103-1	RSA-3555-1SR1	SMA, FEM FOR .085 SEMI-RIGID, CBL GRP SR1, G,G,T			
39J103-1	RSA-3555-SR1	SMA, FEM FOR .085 SEMI-RIGID, CBL GRP SR1, N,G,T	N12		
39JF106-1	RSA-3570-085	SMA FEM 4-HOLE PANEL MNT, .085 SEMI-RIGID CBL, N,G,T	N12		
39JR104-2	RSA-3251	SMA, FEM BLKHD,SOLDER CUP, REAR MNT, N,G,T	N10		
39JR106-1	RSA-3251	SMA, FEM BLKHD,SOLDER CUP, REAR MNT, N,G,T	N12		
39JR108-3	RSA-3271	SMA, FEM 4-HOLE PANEL MNT, SOLDER CUP, N,G,T	N10		
39JR113-3	RSA-3279	SMA, FEM 4-HOLE PANEL MNT, .590" EXTENDED DIELECTRIC, N,G,T	N10		
39JR126-2	RSA-3250	SMA, FEM BLKHD,SOLDER CUP, FRONT MNT, N,G,T	N12		
39JR127-1	RSA-3350	SMA, FEM, VERTICAL PCB MNT, N,G,T	N10		
39JR128-5	RSA-3300-1	SMA, FEM, R/A PCB MNT, G,G,T			
39JR178-1	RSA-3261	SMA, FEM 2-HOLE PANEL MNT, SOLDER CUP, CBL GRP C, N,G,T	N10		
39JR190-2	RSA-3268	SMA, FEM 2-HOLE PANEL MNT, .196 EXTENDED DIELECTIC, POST TERMINAL, N,G,T	N10		
39JR221-1	RSA-3261	SMA, FEM 2-HOLE PANEL MNT, SOLDER CUP, CBL GRP C, N,G,T	N10		

39JR254-2	RSA-3269	SMA, FEM 2-HOLE PANEL MNT, .590" EXTENDED DIELECTRIC, N,G,T	N10		
39JR359-1	RSA-3350-1	SMA, FEM, VERTICAL PCB MNT, G,G,T			
39JR364-1	RSA-3300-03	SMA, FEM R/A BLKHD PCB MNT, N,G,T			
39JR364-2	RSA-3300-1-03	SMA, FEM R/A BLKHD PCB MNT, G,G,T			
39JS101-1	RSA-3560-141	SMA, FEM BLKHD, RG-402/U, SEMI-RIGID CBL.141, N,G,T	N12		
39JS101-2	RSA-3560-1-SR1	SMA, FEM BLKHD, .085 SEMI-RIGID, REAR MNT, CBL GRP SR1, G,G,T			
39JS104-1	RSA-3252-C1	SMA, FEM BLKHD CRIMP, CBL GRP C1, N,G,T	N12		
39JS104-2	RSA-3252-B	SMA, FEM BLKHD, CBL GRP B, W/O GASKET, N,G,T	N12		
39JS104-2	RSA-3252-B-03	SMA, FEM BLKHD, CBL GRP B, W/ GASKET, N,G,T	N12		
39P105-1	RSA-3510-1-141	SMA, MALE R/A PLUG FOR .141 SEMI-RIGID CBL GRP SR2, G,G,T			
39P105-1	RSA-3510-141	SMA, MALE R/A PLUG FOR .141 SEMI-RIGID CBL GRP SR1, N,G,T	N12		
39P106-2	RSA-3500-085	SMA, MALE STRAIGHT CABLE PLUG, .085 SEMI-RIGID CBL., N.G.T.	N12		
39P107-1	RSA-3510-085	SMA, MALE R/A PLUG FOR .085 SEMI-RIGID CBL GRP SR1, N,G,T	N12		
39P107-1	RSA-3510-1-085	SMA, MALE R/A PLUG FOR .085 SEMI-RIGID CBL GRP SR1, G,G,T			
39P112-1	RSA-3500-1-141	SMA MALE STRAIGHT PLUG, .141 SEMI-RIGID CABLE, G,G,T			
39P112-1	RSA-3500-141	SMA, MALE STRAIGHT PLUG FOR SEMI-RIGID .141 CBL, N,G,T	N12		
39P121-12	RSA-3010-C	SMA, MALE R/A CRIMP, CBL GRP C, N,G,T	N10		
39P121-6	RSA-3010-1B	SMA, MALE R/A CRIMP, CBL GRP B, G,G,T	N35		
39P121-6	RSA-3010-7-B	SMA, MALE R/A CRIMP, STAINLESS STEEL NUT W/ GOLD BODY, CBL GRP B, G,G,T			
39P121-6	RSA-3010-B	SMA, MALE R/A CRIMP, CBL GRP B, N,G,T	N10		
39P121-8	RSA-3010-1B1	SMA, MALE R/A CRIMP, CBL GRP B1, G,G,T	N35		
39P121-8	RSA-3010-B1	SMA, MALE R/A CRIMP, CBL GRP B1, N,G,T	N10		
39P121-9	RSA-3010-C1	SMA, MALE R/A CRIMP, CBL GRP C1, N,G,T	N10		
39P123-17	RSA-3100-B	SMA, MALE SOLDER CLAMP, CBL GRP B, N,G,T	N10		
39P123-19	RSA-3100-C	SMA, MALE SOLDER CLAMP, CBL GRP C, N,G,T	N10		
39P132-10	RSA-3000-C1	SMA, MALE CRIMP, CBL GRP C1, N,G,T	N10	N66	
39P132-3	RSA-3000-1B	SMA, MALE 3 PIECE CRIMP, CBL GRP B, G,G,T	N35	N66	
39P132-3	RSA-3000-B	SMA, MALE 3 PIECE CRIMP, CBL GRP B, N,G,T	N10	N66	
39P134-4	RSA-3500-1-141	SMA MALE STRAIGHT PLUG, .141 SEMI-RIGID CABLE, G,G,T	N34		
39P134-4	RSA-3500-141	SMA, MALE STRAIGHT PLUG FOR SEMI-RIGID .141 CBL, N,G,T	N32		
39P154-13	RSA-3110-B	SMA, MALE R/A SOLDER CLAMP, CBL GRP B, RG-174/U, N,G,T	N10		
39P154-15	RSA-3110-C	SMA, MALE R/A SOLDER CLAMP, N,G,T, CBL GRP C	N10		
39P154-17	RSA-3110-B	SMA, MALE R/A SOLDER CLAMP, CBL GRP B, RG-174/U, N,G,T	N10		
39PR134-1	RSA-3231	SMA, MALE BLKHD,4-HOLE PANEL MNT, SOLDER CUP, N,G,T	N12		
39PR134-1	RSA-3231-1	SMA, MALE BLKHD, 4-HOLE PANEL MNT, SOLDER CUP, G,G,T			
59JR101-1	RMX-8350	MCX, FEM VERTICAL PCB MNT, N,G,T			
59JR101-4	RMX-8350-1	MCX, FEM VERTICAL PCB MNT, G,G,T			
59JR102-1	RMX-8300	MCX, FEM R/A PCB MNT, N,G,T			
59JR102-2	RMX-8300-1	MCX, FEM R/A PCB MNT, G,G,T			
59JR108-1	RMX-8300-04	MCX, FEM R/A PCB MNT, SURFACE MOUNT, G,G,T	N60		
59JR108-2	RMX-8300-04	MCX, FEM R/A PCB MNT, SURFACE MOUNT, G,G,T			
59P105-1	RMX-8010-B	MCX, MALE R/A CRIMP PLUG, CBL GRP B, N,G,T			
59P105-2	RMX-8010-B1	MCX, MALE R/A CRIMP PLUG, CBL GRP B1, N,G,T			
59P105-3	RMX-8010-1B	MCX, MALE R/A CRIMP PLUG, CBL GRP B, G,G,T			
59P105-4	RMX-8010-1B1	MCX, MALE R/A CRIMP PLUG, CBL GRP B1, G,G,T			
59P110-1	RMX-8000-B	MCX, MALE STRAIGHT CRIMP PLUG, CBL GRP B, N,G,T			
59P110-2	RMX-8000-B1	MCX, MALE STRAIGHT CRIMP PLUG, CBL GRP B1, N,G,T			
59P110-3	RMX-8000-1B	MCX, MALE STRAIGHT CRIMP PLUG, CBL GRP B, G,G,T			
59P110-4	RMX-8000-1B1	MCX, MALE STRAIGHT CRIMP PLUG, CBL GRP B1, G,G,T			
59P110-5	RMX-8000-1A	MCX, MALE STRAIGHT CRIMP PLUG, CBL GRP A, G,G,T	N60		
59P110-5	RMX-8000-A	MCX, MALE STRAIGHT CRIMP PLUG, CBL GRP A, N,G,T			
59P110-6	RMX-8000-1A	MCX, MALE STRAIGHT CRIMP PLUG, CBL GRP A, G,G,T			
69JR100-1	RMX-9350-1	MMCX, VERTICAL PCB JACK, G,G,T	N60		
69JR100-2	RMX-9350-1	MMCX, VERTICAL PCB JACK, G,G,T			
69P103-1	RMX-9000-1B	MMCX, MALE STRAIGHT CRIMP PLUG, FOR RG-174/U, CBL GRP B, G,G,T	N60		
69P103-2	RMX-9000-1B1	MMCX, MALE STRAIGHT CRIMP PLUG, FOR RG-316-DS, CBL GRP B1, G,G,T	N60		
69P103-3	RMX-9000-1B	MMCX, MALE STRAIGHT CRIMP PLUG, FOR RG-174/U, CBL GRP B, G,G,T	N60		
69P103-4	RMX-9000-1B1	MMCX, MALE STRAIGHT CRIMP PLUG, FOR RG-316-DS, CBL GRP B1, G,G,T			

69P103-6	RMX-9000-1B	MMCX, MALE STRAIGHT CRIMP PLUG, FOR RG-174/U, CBL GRP B, G,G,T			
69P104-1	RMX-9010-1B	MMCX, MALE R/A CRIMP PLUG, FOR RG-174/U, CBL GRP B, G,G,T	N60		
69P104-2	RMX-9010-1B1	MMCX, MALE R/A CRIMP PLUG, FOR RG-316-DS, CBL GRP B1, G,G,T	N60		
69P104-3	RMX-9010-1B	MMCX, MALE R/A CRIMP PLUG, FOR RG-174/U, CBL GRP B, G,G,T			
69P104-4	RMX-9010-1B1	MMCX, MALE R/A CRIMP PLUG, FOR RG-316-DS, CBL GRP B1, G,G,T			
69P104-5	RMX-9010-1A	MMCX, MALE R/A CRIMP PLUG, FOR RG-178/U, CBL GRP A, G,G,T	N60		
69P104-6	RMX-9010-1A	MMCX, MALE R/A CRIMP PLUG, FOR RG-178/U, CBL GRP A, G,G,T			

This cross-reference is offered as a general selection guide only. Variations of style occur between connector manufacturers' product lines and within each company's line. Specifications on any connector are subject to change without notice. We therefore ask that before making any part substitution, you carefully verify current specifications from the manufacturers for those parts.

NOTES

RFI connector has silver plating, this connector has nickel.	N1
RFI connector has PTFE dielectric, this connector has Delrin (Acetal).	N2
RFI contact is silver, this contact is gold.	N3
RFI connector has Delrin (Acetal) dielectric, this connector has PTFE.	N4
RFI contact is silver, this contact is nickel. RFI contact is gold, this contact is nickel.	N5
RFI contact is gold, this contact is nickel.	N6
RFI connector has Polypropylene dielectric, this connector has PTFE.	N7
RFI connector has nickel plating, this connector has silver.	N8
RFI contact is gold, this contact is silver.	N9
RFI connector is nickel plated brass, this connector is Passivated Stainless-Steel.	N10
This connector is made to accommodate both RG-8/U and RG-9/U. Ferrules and clamps may fit loosely.	N11
RFI connector has nickel plating, this connector has gold.	N12
Solder dipped legs and terminal on this part.	N13
The RFI connector is machined brass, this connector is zinc diecast.	N14
RFI connector is diecast, this connector is machined brass.	N15
This RFI connector has nickel plated finish.	N16
This flange has #3-56 tapped holes; the RFI flange does not.	N17
This connector requires C1 Ferrule.	N18
RFI connector ships w/ hardware; this connector does not.	N19
RFI connector is high-profile style, this connector is low-profile style.	N20
RFI connector is low profile, this connector is high-profile.	N21
RFI connector has high-temp phenolic dielectric; this connector has Delrin (Acetal).	N22
This shell has lockwire holes; RFI shell does not.	N23
RFI connector has silver plating; this connector has gold.	N24
This connector has miter right-angle body.	N25
This connector has cubic right-angle body.	N26
RFI connector has high-temp phenolic dielectric; this connector has PTFE.	N27
Inner contact must be soldered.	N28
RFI contact is nickel; this contact is unspecified	N29
This connector has Rexolite dielectric.	N30
This termination is 1 watt.	N31
RFI connector is nickel plated brass, this connector is passivated stainless steel w/ gold plated coupling nut.	N32
RFI connector is nickel plated brass, this connector is gold plated BeCu.	N33
RFI connector is gold plated brass, this connector is gold plated stainless steel.	N34
RFI connector is gold plated brass, this connector is passivated stainless steel.	N35
RFI connector is gold plated brass, this connector is gold plated BeCu.	N36
RFI connector is nickel plated brass, this connector is gold plated stainless steel.	N37
RFI connector has panel gasket; this connector does not.	N38
RFI connector is nickel plated brass; this connector is stainless steel with passivated coupling nut.	N39
RFI contact is captivated; this is not.	N40
RFI connector is 3-pc crimp design; this is 5-pc design.	N41
RFI connector does not have gasket; this connector does.	N42
RFI connector requires .257 diameter panel opening; this requires .281 diameter opening.	N43
RFI connector requires .250 diameter panel opening; this requires .270 diameter opening.	N44
RFI connector has gasket; this connector does not.	N45
RFI connector is Nominal 75 ohm, this connector is 50 ohm.	N46

RFI connector is True 75 ohm, this connector is 50 ohm.	N47
RFI connector is Nominal 75 ohm, this connector is True 75 ohm; Contact RFI Sales for True 75 ohm availability	N48
RFI connector is True 75 ohm, this connector is Nominal 75 ohm.	N49
RFI connector is nickel plated brass, this connector is tin-lead.	N50
RFI connector is silver plated brass, this connector is tin-lead.	N51
RFI connector has Delrin (Acetal) dielectric, this connector has polypropylene.	N52
RFI connector has PTFE dielectric, this connector has TPX dielectric	N53
RFI connector has silver plating; this connector has white bronze.	N54
RFI connector has PTFE dielectric; this connector has polyethhtylene.	N55
RFI connector has PTFE dielectric; this connector has polypropylene.	N56
RFI connector has non-captive contact.	N57
RFI connector has ABS dielectric, this connector has Delrin (Acetal) dielectric.	N58
RFI connector has gold plating; this connector has silver.	N59
RFI connector has gold plating; this connector has nickel.	N60
RFI connector has 0.050 dia. Post; this connector has 0.030 dia. Post.	N61
RFI connector has direct solder attachment; this connector is a solder clamp style.	N62
RFI connector has gold plating; this connector has tin plating.	N63
RFI connector has passivated stainless steel body; this connector has gold plated brass body.	N64
RFI connector has passivated stainless steel body; this connector has nickel plated brass body.	N65
RFI connector has standard 3-piece crimp body style; this connector has long crimp style with hex backnut	N66
RFI connector has silver plating; this connector has passivated stainless steel body.	N67
RFI body is standard 3-piece crimp; this connector is 2-piece design with integral contact.	N68
RFI connector is not pressurized.	N69
This connector has factory-set interface, RFI connector does not.	N70
RFI connector has passivated nut with gold plated body; this connector does not.	N71
This connector has passivated nut with gold plated body; RFI connector does not.	N72
RFI connector has internal-toothed lockwasher; this connector has external-toothed lockwasher.	N73
RFI connector has gold plated brass body with passivated coupling nut; this connector has stainless steel body and nut.	N74
RFI connector is standard dual hex crimp; this connector is dual "O" crimp requiring special crimp tool and dies.	N75
RFI contact is gold plated; this contact is tin lead plated.	N76
RFI connector has PTFE insulation; this connector has Valox.	N77
RFI connector has solder lug; this connector does not.	N78
RFI connector has Delrin (Acetal) insulation; this connector has TPX, polymethylpentene.	N79
RFI connector has Delrin (Acetal) insulation; this connector has polyethelene.	N80
RFI connector is standard dual hex crimp; this connector is "single crimp" requiring special crimp tool which crimps inner and outer conductors at the same time.	N81
RFI connector has Polypropylene dielectric, this connector has TPX, polymethylpentene.	N82
RFI connector has gray insulated cover; this connector has black insulated cover.	N83
RFI connector does not have extra weatherproofing seals; this connector does.	N84
RFI contact is silver plated; this contact is tin plated.	N85
RFI connector ships with contact; this connector requires separate contact.	N86